HPE ProLiant MicroServer Gen11



Neuerungen

- Die neuesten Intel® Xeon® 6300 Series, Intel® Xeon® E-2400 und Intel® Pentium® Gold Prozessoren.
- Vier 4400 MT/s HPE DDR5 UDIMMs, die Support für 16, 32 Gbit und bis zu 128 Gbit Arbeitsspeicherkapazität bieten.
- Zwei PCIe Erweiterungssteckplätze mit PCIe 5.0 Support.
- Schneller OS-Start mit M.2 Steckplatz (optionaler Steckplatz auf dem optional dedizierten HPE iLO/M.2/seriellen Port-Kit verfügbar).
- Optionaler serieller Port (über den dedizierten HPE iLO/M.2/seriellen Port-Kit).

Übersicht

Sind Sie auf der Suche nach einem preisgünstigen Server, der fast überall Platz findet?

Der HPE ProLiant MicroServer Gen11 ist ein erschwinglicher, kompakter und dennoch leistungsstarker Einstiegsserver, den Sie für den Einsatz vor Ort oder in der Hybrid Cloud anpassen können und der gleichzeitig die Standards der Enterprise-Class in Bezug auf Leistung, Sicherheit, Zuverlässigkeit und Erweiterbarkeit des HPE ProLiant Serverportfolios der Enterprise-Class erfüllt.

Mit seinem Mini-Tower-Design kann er passend zur Kundenumgebung flach oder vertikal aufgestellt oder an der Wand montiert werden. Die neuesten Intel® Xeon® 6300 Series, Intel® Xeon® E und Intel® Pentium® Prozessoren bieten Computing-Leistung, verbesserte Arbeitsspeicherkapazität sowie Sicherheit und Remoteverwaltung auf dem Server mit HPE iLO Silicon Root of Trust. Mit seinem erschwinglichen Einstiegspreis bietet der HPE ProLiant MicroServer Gen11 ein gutes Preis-Leistungs-Verhältnis und hat die

– Support für HPE iLO 6. HPE iLO Remote-Servermanagement ist jetzt Standard – ohne das zusätzliche Modul oder den Aktivierungsschlüssel.

Netzwerk- und Leistungskapazität, um mit Ihrem Unternehmen zu wachsen, wenn sich Ihre Anforderungen und Ihr Budget im Laufe der Zeit ändern.

Funktionen

Bewährt und dennoch neu konzipiert für den datenorientierten Edge

HPE ProLiant MicroServer Gen11 ist ein leistungsstarker, aber erschwinglicher Server für Ihre täglichen Unternehmensworkloads.

Mit vier 4400 MT/s HPE DDR5 UDIMMs bietet es Support für 16, 32 Gbit und bis zu 128 Gbit Arbeitsspeicherkapazität.

Zwei PCIe Erweiterungssteckplätze mit PCIe 5.0 Support bieten zuverlässige Skalierbarkeit.

Optionaler Wand-Befestigungssatz bietet Flexibilität bei der Bereitstellung.

Klein und leise Server mit einzigartigem Design bringen das Benutzererlebnis auf ein neues Niveau

HPE ProLiant MicroServer Gen11 bietet schnelle Einrichtung mit einzigartigem Formfaktor, der kompakt und somit ideal für kleine Räume ist.

Remote-Servermanagement mit HPE iLO6 nutzen.

Klein, aber leistungsstark und sicher

HPE ProLiant MicroServer Gen11 verfügt über iLO Silicon Root of Trust mit Servermanagement für verbesserte Sicherheit, bewährte Zuverlässigkeit und herausragende Benutzerfreundlichkeit.

Die neuesten Intel® Xeon® 6300 Series, Intel® Xeon® E-2400 und Intel® Pentium® Gold Prozessoren bieten beeindruckende Leistung.

Bieten Sicherheit der Enterprise-Klasse mit TPM 2.0 integriert.

Technische Daten	HPE ProLiant MicroServer Gen11
Prozessortyp	Intel®
Prozessorfamilie	Intel® Xeon® 6300-Serie, Intel® Xeon® E-2400-Serie und Intel® Pentium® Gold
Anzahl der Prozessoren	1 Prozessor
Verfügbarer Prozessorkern	2 bis 4 Kerne, je nach Prozessor
Prozessorgeschwindigkeit	Maximal 3,7 GHz, je nach Prozessor
Prozessor-Cache	6 bis 12 MB Intel® Smart Cache, je nach Prozessor
Hauptspeichertyp	HPE DDR5 Standardspeicher
Max. Speicher	Bis zu 128 GB Speicherkapazität Support
Speichersteckplätze	4 DIMM-Steckplätze
Systemlüftermerkmale	1 nicht redundanter Systemlüfter in Lieferung enthalten
Erweiterungssteckplätze	2 PCIe-Steckplätze, detaillierte Erläuterungen finden Sie in der Kurzübersicht
Formfaktor	Ultra Micro-Tower
Netzwerkcontroller	4 x 1 GbE integriert
Speichercontroller	Integriertes Intel® VROC SATA Hybrid RAID
Unterstütztes Laufwerk	4 LFF NHP SATA Festplatte oder 4 SFF NHP SSD (mit Konverter-Kit)
Optisches Laufwerk – Typ	ODD Bay Kit, optional, nicht im Lieferumfang
Infrastrukturverwaltung	HPE iLO 6
Physische Sicherheit	TPM 2.0 integriert
Garantie	Die Servergarantie umfasst 1 Jahre auf Teile, 1 Jahr auf Arbeit und 1 Jahr Vor-Ort-Support mit Reaktion am nächsten Arbeitstag. Garantiereparaturen können durch den Einsatz von Customer Self Repair (CSR)-Teilen durchgeführt werden. Diese Teile sind in zwei Kategorien unterteilt: 1) Obligatorische CSR-Teile wurden für einfachen Austausch konzipiert. Wenn Kunden den Austausch eines obligatorischen CSR-Teils ablehnen, fällt eine Gebühr für Anreise und Arbeitsaufwand an. 2) Optionale CSR-Teile wurden ebenfalls für einfachen Austausch konzipiert, sind aber ggf. komplexer. Kunden haben die Wahl, optionale CSR-Teile ohne Zusatzkosten durch Hewlett Packard Enterprise austauschen zu lassen. 3) Nicht-CSR-Teile müssen von einem geschulten, autorisierten Servicetechniker gewartet werd en. Hintergrundinformationen finden Sie unter https://www.hpe.com/support.

SKU-Vergleich

	HPE ProLiant MicroServer Gen11 6325P 3.5GHz 4c 1P 1x32GB-U 4LFF-NHP 2x4TB HDD 1x180W PS EU Server (P87455-425)	HPE ProLiant MicroServer Gen11 6325P 3.5GHz 4c 1P 2x16GB-U 4LFF-NHP 1x180W PS EU Server (P98163-425)	HPE ProLiant MicroServer Gen11 E-2414 2.6GHz 4-core 1P 16GB-U VROC 4LFF-NHP 180W External PS Server (P68820-421)	HPE ProLiant MicroServer Gen11 G7400 2c 16GB-U 4LFF-NHP 1TB HDD 180W Ext PS EMEA Cmp Module Server (P74439-425)	HPE ProLiant MicroServer Gen11 G7400 3.7GHz 2c 1P 1x16GB-U 4LFF-NHP 1x180W PS EU Server (P98174-425)
Detaillierte Produktbeschreibung	Kaufen Sie das HPE Smart Choice Kaufprogramm: Unsere beliebtesten Server, vollständig konfiguriert und sofort bereit zum Versand! HPE ProLiant MicroServer Gen11 Server mit einem Intel® Xeon® 6325P Prozessor, 32 GB (1x32 GB UDIMM) Dual-Rank Speicher, dediziertem iLO-M.2 Port Kit, Embedded Intel® VROC SATA für HPE ProLiant Gen11, Unterstützung für vier LFF-NHP Laufwerke, einem Standardlüfter, zwei HPE 4TB SATA 6G Business Critical 7.2K LFF RW 1 Jahr Garantie Multi Vendor HDDs, einem 180W Slim Type externen Netzteil, ein TPM (Trusted Platform Module) und eine 1/1/1-Garantie	Kaufen Sie über HPE Smart Choice: Unsere wichtigsten Server, vollständig konfiguriert und versandbereit – jetzt! HPE ProLiant MicroServer Gen11 Server mit einem Intel® Xeon® 6325P Prozessor, 32 GB (2x 16 GB UDIMM) Arbeitsspeicher (Single Rank), dediziertem iLO-M.2 Port-Kit, integriertem Intel® VROC SATA für HPE ProLiant Gen11, Support für vier LFF-NHP-Laufwerke, einem Standardlüfter, einem externen HPE MicroServer Gen11 180 W-Netzteiladapter, einem TPM (Trusted Platform Module) und mit einer 1/1/1-Garantie	HPE ProLiant MicroServer Gen11 Server mit einem Intel® Xeon® E-2414 Prozessor, 16 GB (1x16 GB UDIMM) Single-Rank-Speicher, integriertem Intel® VROC SATA für HPE ProLiant Gen11, Unterstützung für vier LFF-Laufwerke, einem Standardlüfter, einem 180W externen Netzteil, einem nicht redundanten Netzteil und einer 1/1/1-Garantie	Kaufen Sie das HPE Smart Choice Kaufprogramm: Unsere beliebtesten Server, vollständig konfiguriert und sofort bereit zum Versand! HPE ProLiant MicroServer Gen11 Server mit einem Intel® Pentium® Gold G7400 Prozessor, 16 GB (1x16 GB UDIMM) Single Rank Speicher, dediziertem iLO-M.2 Port Kit, Embedded Intel® VROC SATA für HPE ProLiant Gen11, Unterstützung für vier LFF-NHP Laufwerke, einem Standardlüfter, einem HPE 1TB SATA 6G Business Critical 7.2K LFF RW 1 Jahr Garantie Multi Vendor HDD, ein 180W externes Netzteil, ein nicht redundantes Netzteil, ein TPM (Trusted Platform Module) und eine 1/1/1-Garantie	Kaufen Sie über HPE Smart Choice: Unsere wichtigsten Server, vollständig konfiguriert und versandbereit – jetzt! HPE ProLiant MicroServer Gen11 Server mit einem Intel® Pentium® Gold G7400 Prozessor, 16 GB (1x 16 GB UDIMM) Arbeitsspeicher (Single Rank), dediziertem iLO-M.2 Port-Kit, integriertem Intel® VROC SATA für HPE ProLiant Gen11, Support für vier LFF-NHP-Laufwerke, einem Standardlüfter, einem externen HPE MicroServer Gen11 180 W-Netzteiladapter, einem TPM (Trusted Platform Module) und mit einer 1/1/1-Garantie
Prozessorname	Intel® Xeon® 6325P (4 Kerne, 3,50 GHz, 12 MB L3, 55 W)	Intel® Xeon® 6325P (4 Kerne, 3,50 GHz, 12 MB L3, 55 W)	Intel® Xeon® E-2414 (4 Kerne, 2,6 GHz, 12 MB Intel® Smart Cache, 55 W)	Intel® Pentium® Gold G7400 (2 Kerne, 3,7 GHz, 6 MB Intel® Smart Cache, 46 W)	Intel® Pentium® Gold G7400 (2 Kerne, 3,7 GHz, 6 MB Intel® Smart Cache, 46 W)
Anzahl der Prozessoren	1 Prozessor im Lieferumfang enthalten				
Verfügbarer Prozessorkern	4 Kerne	4 Kerne	4 Kerne	2 Kerne	2 Kerne

	HPE ProLiant MicroServer Gen11 6325P 3.5GHz 4c 1P 1x32GB-U 4LFF-NHP 2x4TB HDD 1x180W PS EU Server (P87455-425)	HPE ProLiant MicroServer Gen11 6325P 3.5GHz 4c 1P 2x16GB-U 4LFF-NHP 1x180W PS EU Server (P98163-425)	HPE ProLiant MicroServer Gen11 E-2414 2.6GHz 4-core 1P 16GB-U VROC 4LFF-NHP 180W External PS Server (P68820-421)	HPE ProLiant MicroServer Gen11 G7400 2c 16GB-U 4LFF-NHP 1TB HDD 180W Ext PS EMEA Cmp Module Server (P74439-425)	HPE ProLiant MicroServer Gen11 G7400 3.7GHz 2c 1P 1x16GB-U 4LFF-NHP 1x180W PS EU Server (P98174-425)
Prozessorgeschwindigkeit	3,50 GHz	3,50 GHz	2,60 GHz	3,70 GHz	3,70 GHz
Prozessor-Cache	12 MB L3	12 MB L3	12 MB Intel® Smart-Cache	6 MB Intel® Smart Cache	6 MB Intel® Smart Cache
Hauptspeichertyp	HPE DDR5 Standardspeicher				
Arbeitsspeicher ist im Lieferumfang enthalten	32 GB (1x32 GB UDIMM, 4800 MT/s)	32 GB (2 x 16 GB UDIMM, 4800 MT/s)	16 GB (1 x 16 GB UDIMM, 4800 MT/s)	16 GB (1 x 16 GB UDIMM, 4800 MT/s)	16 GB (1 x 16 GB UDIMM, 4800 MT/s)
Systemlüftermerkmale	1 Standardlüfter				
Erweiterungssteckplätze	2 PCIe-Steckplätze, detaillierte Erläuterungen finden Sie in der Kurzübersicht	2 PCIe-Steckplätze, detaillierte Erläuterungen finden Sie in der Kurzübersicht	2 PCIe; ausführliche Erläuterungen in den QuickSpecs	2 PCIe; ausführliche Erläuterungen in den QuickSpecs	2 PCIe-Steckplätze, detaillierte Erläuterungen finden Sie in der Kurzübersicht
Formfaktor	Ultra Micro-Tower				
Netzwerkcontroller	4 Ports integriert, 1 GbE				
Speichercontroller	Integriertes Intel® VROC SATA für HPE ProLiant Gen11				
Laufwerke sind im Lieferumfang enthalten	2x HPE Festplatte (4 TB SATA 6G geschäftskritisch 7.200 U/min LFF RW 1 Jahr Garantie Multivendor)	Kein Standardlieferumfang, 4 LFF-NHP unterstützt	Kein Standardlieferumfang, 4 LFF unterstützt	HPE Festplatte (1 TB SATA 6G geschäftskritisch 7.200 U/min LFF RW 1 Jahr Garantie Multivendor)	Kein Standardlieferumfang, 4 LFF-NHP unterstützt
Optisches Laufwerk – Typ	ODD Bay Kit, optional, nicht im Lieferumfang				
Netzteiltyp		1 x HPE MicroServer Gen11 Externes 180 W Netzteil	1 x 180 W externes Netzteil, nicht redundante Stromversorgung	1 x 180 W externes Netzteil, nicht redundante Stromversorgung	1 x HPE MicroServer Gen11 Externes 180 W Netzteil

	HPE ProLiant MicroServer Gen11 6325P 3.5GHz 4c 1P 1x32GB-U 4LFF-NHP 2x4TB HDD 1x180W PS EU Server (P87455-425)	HPE ProLiant MicroServer Gen11 6325P 3.5GHz 4c 1P 2x16GB-U 4LFF-NHP 1x180W PS EU Server (P98163-425)	HPE ProLiant MicroServer Gen11 E-2414 2.6GHz 4-core 1P 16GB-U VROC 4LFF-NHP 180W External PS Server (P68820-421)	HPE ProLiant MicroServer Gen11 G7400 2c 16GB-U 4LFF-NHP 1TB HDD 180W Ext PS EMEA Cmp Module Server (P74439-425)	HPE ProLiant MicroServer Gen11 G7400 3.7GHz 2c 1P 1x16GB-U 4LFF-NHP 1x180W PS EU Server (P98174-425)
Infrastrukturverwaltung	HPE iLO 6	HPE iLO 6, HPE Compute Ops Management (optionales Abonnement verfügbar)	HPE iLO Enablement-Kit, optional	HPE iLO6, dedizierter iLO-Port enthalten	HPE iLO 6, HPE Compute Ops Management (optionales Abonnement verfügbar)
Physische Sicherheit	TPM 2.0 integriert	TPM 2.0 integriert	TPM 2.0 (Trusted Platform Module)	TPM 2.0 (Trusted Platform Module)	TPM 2.0 integriert
Garantie	Die Servergarantie umfasst 1 Jahre auf Teile, 1 Jahr auf Arbeit und 1 Jahr Vor-Ort-Support mit Reaktion am nächsten Arbeitstag. Garantiereparaturen können durch den Einsatz von Customer Self Repair (CSR)-Teilen durchgeführt werden. Diese Teile sind in zwei Kategorien unterteilt: 1) Obligatorische CSR-Teile wurden für einfachen Austausch konzipiert. Wenn Kunden den Austausch eines obligatorischen CSR-Teils ablehnen, fällt eine Gebühr für Anreise und Arbeitsaufwand an. 2) Optionale CSR-Teile wurden ebenfalls für einfachen Austausch konzipiert, sind aber ggf. komplexer. Kunden haben die Wahl, optionale CSR-Teile ohne Zusatzkosten durch Hewlett Packard Enterprise austauschen zu lassen. 3) Nicht-CSR-Teile müssen von einem geschulten, autorisierten Servicetechniker gewartet werd en. Hintergrundinformationen finden Sie unter https://www.hpe.com/support.				
Versandgewicht			7,97 kg	7,97 kg	
Versandabmessungen			15,4 x 26,1 x 24,9 cm	37.7 x 46.7 x 25.54 cm	

Zugehörige Optionen

Die folgenden Optionen sind für diese Serie verfügbar:

SKU	Beschreibung
Adapter	
P51178-B21	Broadcom BCM5719 Ethernet 1Gb 4-port BASE-T Adapter for HPE
P26259-B21	Broadcom BCM57412 Ethernet 10Gb 2-port SFP+ Adapter for HPE
P26253-B21	Broadcom BCM57416 Ethernet 10Gb 2-port BASE-T Adapter for HPE
P21106-B21	Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE
P28787-B21	Intel X710-DA2 Ethernet 10Gb 2-port SFP+ Adapter for HPE
Akkus/Ladegeräte	
P02381-B21	HPE Smart Storage Hybrid Capacitor with 260mm Cable Kit
Betriebssysteme	
P77127-291	Microsoft Windows Server 2022 Downgrade Datacenter Reseller Option Kit Japanese SW
P77126-291	Microsoft Windows Server 2022 Downgrade Standard Reseller Option Kit Japanese SW
P77111-B21	Microsoft Windows Server 2025 1 Device CAL WW LTU
P77110-AA1	Microsoft Windows Server 2025 1 User CAL Chinese Simplified LTU
P77110-B21	Microsoft Windows Server 2025 1 User CAL WW LTU
P77109-B21	Microsoft Windows Server 2025 2-core Datacenter Additional License WW SW
P77106-AA1	Microsoft Windows Server 2025 2-core Standard Additional License Chinese Simplified SW
P77106-AB1	Microsoft Windows Server 2025 2-core Standard Additional License Chinese Traditional SW
P77106-B21	Microsoft Windows Server 2025 2-core Standard Additional License WW SW
P77108-B21	Microsoft Windows Server 2025 4-core Datacenter Additional License WW SW
P77105-B21	Microsoft Windows Server 2025 4-core Standard Additional License WW SW
P77113-B21	Microsoft Windows Server 2025 5 Devices CAL WW LTU
P77112-AA1	Microsoft Windows Server 2025 5 Users CAL Chinese Simplified LTU
P77112-AB1	Microsoft Windows Server 2025 5 Users CAL Chinese Traditional LTU
P77112-B21	Microsoft Windows Server 2025 5 Users CAL WW LTU
P77115-B21	Microsoft Windows Server 2025 10 Devices CAL WW LTU
P77114-B21	Microsoft Windows Server 2025 10 Users CAL WW LTU
P77103-AA1	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit Chinese Simplified SW
P77103-AB1	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit Chinese Traditional SW
P77103-291	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit Japanese SW
S6L39A	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit WW ESD LTU

P77103-021	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit en/cs/pl/ru/sv SW
P77103-A21	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit en/fr/de/es/it/pt/nl SW
P77103-DN1	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit en/fr/es/xc SW
P77103-371	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit en/ko SW
P77107-B21	Microsoft Windows Server 2025 16-core Datacenter Additional License WW SW
P77102-291	Microsoft Windows Server 2025 16-core Datacenter Reassignment Reseller Option Kit Japanese SW
S6L37A	Microsoft Windows Server 2025 16-core Datacenter Reassignment Reseller Option Kit WW ESD LTU
P77102-B21	Microsoft Windows Server 2025 16-core Datacenter Reassignment Reseller Option Kit en/fr/de/es SW
P77101-AA1	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit Chinese Simplified SW
P77101-AB1	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit Chinese Traditional SW
P77101-291	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit Japanese SW
S6L36A	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit WW ESD LTU
P77101-021	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/cs/pl/ru/sv SW
P77101-A21	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/fr/de/es/it/pt/nl SW
P77101-DN1	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/fr/es/xc SW
P77101-371	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/ko SW
P77104-B21	Microsoft Windows Server 2025 16-core Standard Additional License WW SW
P77100-AA1	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit Chinese Simplified SW
P77100-AB1	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit Chinese Traditional SW
P77100-291	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit Japanese SW
S6L38A	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit WW ESD LTU
P77100-021	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/cs/pl/ru/sv SW
P77100-A21	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/fr/de/es/it/pt/nl SW
P77100-DN1	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/fr/es/xc SW
P77100-371	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/ko SW
P77117-B21	Microsoft Windows Server 2025 50 Devices CAL WW LTU
P77116-B21	Microsoft Windows Server 2025 50 Users CAL WW LTU
P77119-B21	Microsoft Windows Server 2025 Remote Desktop Service 1 Device CAL WW LTU
P77118-B21	Microsoft Windows Server 2025 Remote Desktop Service 1 User CAL WW LTU
P77121-B21	Microsoft Windows Server 2025 Remote Desktop Service 5 Devices CAL WW LTU
P77120-B21	Microsoft Windows Server 2025 Remote Desktop Service 5 Users CAL WW LTU
P77123-B21	Microsoft Windows Server 2025 Remote Desktop Service 50 Devices CAL WW LTU
P77122-B21	Microsoft Windows Server 2025 Remote Desktop Service 50 Users CAL WW LTU

Cloud-Lösungen

R6J26AAE	Red Hat Ansible Automation Platform 100 Nodes 1yr Subscription 9x5 RH Support E-LTU

R6J33AAE	Red Hat OpenShift Container Platform 2 Cores or 4 vCPUs 1yr Subscription 9x5 RH Support E-LTU

Controller/Controller-Optionen

P65042-B21	HPE 16W Smart Hybrid Capacitor with 260mm Cable
P01367-B21	HPE 96W Smart Storage Lithium-ion Battery with 260mm Cable Kit
P47785-B21	HPE MR216i-p Gen11 x16 Lanes without Cache PCI SPDM Plug-in Storage Controller
P74775-B21	HPE MR408i-p Gen11 x8 Lanes 4GB Cache PCI SPDM Plug-in Storage Controller
804398-B21	HPE Smart Array E208e-p SR Gen10 (8 External Lanes/No Cache) 12G SAS PCIe Plug-in Controller

Energiemanagement-Optionen

P86416-B21	HPE C5 250V 2.5Amp Black 1.8m EU/RU/KR Power Cord
AF569A	HPE C13 - AS3112-3 AU 250V 10Amp 2.5m Power Cord
AF570A	HPE C13 - BS-1363A UK/HK/SG 250V 10Amp 1.83m Power Cord
AF568A	HPE C13 - CEE-VII EU 250V 10Amp 1.83m Power Cord
AF566A	HPE C13 - DK-2.5A DK 250V 10Amp 1.83m Power Cord
AF557A	HPE C13 - GB-1002 CN 250V 10Amp 1.83m Power Cord
AF559A	HPE C13 - Nema 5-15P TH/PH 250V 10Amp 1.83m Power Cord
AF556A	HPE C13 - Nema 5-15P US/CA 110V 10Amp 1.83m Power Cord
AF567A	HPE C13 - SABS-164 ZA 250V 10Amp 2.5m Power Cord
AF565A	HPE C13 - SEV 1011 CH 250V 10Amp 1.83m Power Cord
AF564A	HPE C13 - SI-32 IL 250V 10Amp 1.83m Power Cord
P74395-B21	HPE MicroServer Gen11 180W External Power Adapter
P77924-B21	HPE MicroServer Gen11 330W External Power Adapter

Enterprise Arbeitsspeicher

P64336-B21	HPE 16GB (1x16GB) Single Rank x8 DDR5-4800 CAS-40-39-39 Unbuffered Standard Memory Kit
P64339-B21	HPE 32GB (1x32GB) Dual Rank x8 DDR5-4800 CAS-40-39-39 Unbuffered Standard Memory Kit

Kabel/Kabelkits

870213-B21	HPE MicroServer Gen10 SFF Converter Kit
P65741-B21	HPE ProLiant ML30 Gen11 iLO/NIC/M.2/COM Port Kit
P68413-B21	HPE ProLiant MicroServer Gen11 Controller Cable Kit

Laufwerke und Speicher

701498-B21	HPE Mobile USB DVD-RW Optical Drive

Laufwerke und Storage

801882-B21	HPE 1TB SATA 6G Business Critical 7.2K LFF RW 1-year Warranty Multi Vendor HDD
801888-B21	HPE 4TB SATA 6G Business Critical 7.2K LFF RW 1-year Warranty Multi Vendor HDD

P80318-B21	HPE 480GB NVMe Gen4 Mainstream Performance Read Intensive M.2 2280 PE9010 SSD
P65272-B21	HPE 480GB SATA 6G Read Intensive SFF RW Multi Vendor SSD
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD

Lizenzen/Zertifikate

Q2A48A	HPE Performance Message Passing Interface for 1 Socket 3yr Support LTU

Montagekits

P69315-B21	HPE MicroServer Gen11 Wall Mount Kit

Operating Systems

G3J32AAE	RHEL Server 2 Sckt/2 Gst 5yr 24x7 E-LTU
J8J35AAE	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1 Year Subscription 9x5 Support E-LTU
J8J36AAE	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1 Year Subscription 24x7 Support E-LTU
S4R44A	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1-year Subscription 9x5 Support LTU
S4R43A	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1-year Subscription 24x7 Support LTU
G5J63AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1 Year Subscription 9x5 Support E-LTU
G5J62AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1 Year Subscription 24x7 Support E-LTU
S4R46A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1-year Subscription 9x5 Support LTU
S4R45A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1-year Subscription 24x7 Support LTU
G5J65AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3 Year Subscription 9x5 Support E-LTU
G5J64AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3 Year Subscription 24x7 Support E-LTU
S4R48A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3-year Subscription 9x5 Support LTU
S4R47A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3-year Subscription 24x7 Support LTU
Q0D23AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 9x5 Support E-LTU
Q0D23A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 9x5 Support Flexible LTU
Q0D22AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 24x7 Support E-LTU
Q0D22A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 24x7 Support Flexible LTU
G3J29AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1 Year Subscription 9x5 Support E-LTU
G3J28AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1 Year Subscription 24x7 Support E-LTU
S4R40A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1-year Subscription 9x5 Support LTU
S4R37A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1-year Subscription 24x7 Support LTU
G3J31AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3 Year Subscription 9x5 Support E-LTU
G3J30AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3 Year Subscription 24x7 Support E-LTU
S4R41A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3-year Subscription 9x5 Support LTU
S4R38A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3-year Subscription 24x7 Support LTU
S4R42A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 5-year Subscription 9x5 Support LTU
S4R39A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 5-year Subscription 24x7 Support LTU

G3J33AAE	Red Hat Enterprise Linux Server 2 Sockets or Guests 5 Year Subscription 9x5 Support E-LTU
S4R34A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 1-year Subscription 9x5 Support LTU
S4R31A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 1-year Subscription 24x7 Support LTU
S4R35A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 3-year Subscription 9x5 Support LTU
S4R32A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 3-year Subscription 24x7 Support LTU
S4R36A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 5-year Subscription 9x5 Support LTU
S4R33A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 5-year Subscription 24x7 Support LTU
R2Z51AAE	Red Hat Enterprise Linux for HPC Compute Node with Smart Management 1yr E-LTU
R2Z52AAE	Red Hat Enterprise Linux for HPC Compute Node with Smart Management 3yr E-LTU
R2Z53AAE	Red Hat Enterprise Linux for HPC Compute Node with Smart Management 5yr E-LTU
R2Z45AAE	Red Hat Enterprise Linux for HPC Head Node with Smart Management 1yr 24x7 E-LTU
R2Z46AAE	Red Hat Enterprise Linux for HPC Head Node with Smart Management 3yr 24x7 E-LTU
R2Z47AAE	Red Hat Enterprise Linux for HPC Head Node with Smart Management 5yr 24x7 E-LTU
Q5W19AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 3yr Subscription 9x5 Support E-LTU
Q5W20AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 3yr Subscription 24x7 Support E-LTU
Q5W21AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 5yr Subscription 9x5 Support E-LTU
Q5W22AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 5yr Subscription 24x7 Support E-LTU
Q5W23AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 3yr Subscription 9x5 Support E-LTU
Q5W24AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 3yr Subscription 24x7 Support E-LTU
Q5W25AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 5yr Subscription 9x5 Support E-LTU
Q5W26AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 5yr Subscription 24x7 Support E-LTU
G3J23AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 1 Year Subscription 9x5 Support E-LTU
G3J22AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 1 Year Subscription 24x7 Support E-LTU
G3J25AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 3 Year Subscription 9x5 Support E-LTU
G3J24AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 3 Year Subscription 24x7 Support E-LTU
G3J27AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 5 Year Subscription 9x5 Support E-LTU
G3J26AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 5 Year Subscription 24x7 Support E-LTU
G5J66AAE	Red Hat High Availability 2 Sockets Unlimited Guests 1 Year Subscription E-LTU
S4T26A	Red Hat High Availability 2 Sockets Unlimited Guests 1-year Subscription LTU
G5J67AAE	Red Hat High Availability 2 Sockets Unlimited Guests 3 Year Subscription E-LTU
S4T27A	Red Hat High Availability 2 Sockets Unlimited Guests 3-year Subscription LTU
G3J34AAE	Red Hat High Availability 2 Sockets or 2 Guests 1 Year Subscription E-LTU
S4T22A	Red Hat High Availability 2 Sockets or 2 Guests 1-year Subscription LTU
G3J35AAE	Red Hat High Availability 2 Sockets or 2 Guests 3 Year Subscription E-LTU
S4T23A	Red Hat High Availability 2 Sockets or 2 Guests 3-year Subscription LTU
S3Z86AAE	Red Hat OpenShift Container Platform Bare Metal 1 Physical Node 1yr Subscription 9x5 Support E-LTU

S3Z84AAE	Red Hat OpenShift Container Platform Bare Metal 1 Physical Node 1yr Subscription 24x7 Support E-LTU
S3Z90AAE	Red Hat OpenShift Container Platform Plus Bare Metal 1 Physical Node 1yr Subscription 9x5 Sup E-LTU
S3Z88AAE	Red Hat OpenShift Container Platform Plus Bare Metal 1 Physical Node 1yr Subscription 24x7 Sup E-LTU
G5J68AAE	Red Hat Resilient Storage 2 Sockets Unlimited Guests 1 Year Subscription E-LTU
G5J69AAE	Red Hat Resilient Storage 2 Sockets Unlimited Guests 3 Year Subscription E-LTU
G3J36AAE	Red Hat Resilient Storage 2 Sockets or 2 Guests 1 Year Subscription E-LTU
S4T24A	Red Hat Resilient Storage 2 Sockets or 2 Guests 1-year Subscription LTU
G3J37AAE	Red Hat Resilient Storage 2 Sockets or 2 Guests 3 Year Subscription E-LTU
S4T25A	Red Hat Resilient Storage 2 Sockets or 2 Guests 3-year Subscription LTU
Q5T84A	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 1yr Subscription Flexible LTU
M6K34AAE	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 3 Year Subscription E-LTU
M6K34A	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 3 Year Subscription Flx LTU
Q5T85A	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 5yr Subscription Flexible LTU
R8V74AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 9x5 E-LTU
R8V74A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 9x5 Flexible LTU
R8V76AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 24x7 E-LTU
R8V76A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 24x7 Flexible LTU
R8V75AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 9x5 E-LTU
R8V75A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 9x5 Flexible LTU
R8V77AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 24x7 E-LTU
R8V77A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 24x7 Flexible LTU
S0F24AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 9x5 E-LTU
R8V79A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 9x5 Flexible LTU
R8V78AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 24x7 E-LTU
R8V78A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 24x7 Flexible LTU
S7N75AAE	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 3-year Sub 24x7 Sup E-LTU
S7N85A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 3-year Sub 24x7 Support LTU
S7N76AAE	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 5-year Sub 24x7 Sup E-LTU
S7N86A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 5-year Sub 24x7 Support LTU
S0F26AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 1-year 24x7 E-LTU
R8V87AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 1-year 24x7 E-LTU
S0F28AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 3-year 24x7 E-LTU
R8V89AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 3-year 24x7 E-LTU
S0F30AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 5-year 24x7 E-LTU
S0F22AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 5-year 24x7 E-LTU

S0F25AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 1-year 24x7 E-LTU
R8V86AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 1-year 24x7 E-LTU
S0F27AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 3-year 24x7 E-LTU
R8V88AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 3-year 24x7 E-LTU
S0F21AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 5-year 24x7 E-LTU
S0F29AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 5-year 24x7 E-LTU

Private Cloud und Hybrid Cloud

S7P79AAE	HPE Compute Ops Management Advanced 3-year SaaS for Smart Choice
S7P80AAE	HPE Compute Ops Management Advanced 5-year SaaS for Smart Choice
S7P81AAE	HPE Compute Ops Management Advanced 7-year SaaS for Smart Choice
R7A10AAE	HPE Compute Ops Management Standard 1-year Upfront ProLiant SaaS
S7P76AAE	HPE Compute Ops Management Standard 3-year SaaS for Smart Choice
R7A11AAE	HPE Compute Ops Management Standard 3-year Upfront ProLiant SaaS
S7P77AAE	HPE Compute Ops Management Standard 5-year SaaS for Smart Choice
R7A12AAE	HPE Compute Ops Management Standard 5-year Upfront ProLiant SaaS
S7P78AAE	HPE Compute Ops Management Standard 7-year SaaS for Smart Choice

Server accelerators

S7U71C	NVIDIA RTX A400 4GB PCIe Low Profile Bracket Accelerator for HPE

Servermanagementsoftware

512485-B21	HPE iLO Advanced 1-server License with 1yr Support on iLO Licensed Features
BD505A	HPE iLO Advanced 1-server License with 3yr Support on iLO Licensed Features
E6U59ABE	HPE iLO Advanced Electronic License with 1yr Support on iLO Licensed Features
E6U64ABE	HPE iLO Advanced Electronic License with 3yr Support on iLO Licensed Features

Switches

R9W89A	HPE Networking CX8100 24x10G Base-T 4x10G SFP+ 4x40/100G QSFP28 BF 3xFan 2AC PSU Switch Bundle
R9W88A	HPE Networking CX8100 24x10G Base-T 4x10G SFP+ 4x40/100G QSFP28 FB 3xFan 2AC PSU Switch Bundle
R9W93A	HPE Networking CX8100 40x10G Base-T 8x10G SFP+ 4x40/100G QSFP28 BF 3xFan 2AC PSU Switch Bundle
R9W92A	HPE Networking CX8100 40x10G Base-T 8x10G SFP+ 4x40/100G QSFP28 FB 3xFan 2AC PSU Switch Bundle
JL625A	HPE Networking CX8325-48Y8C 48p 25G SFP/+/28 8p 100G QSFP+/28 BF 6xFan 2xPSU Switch Bundle
JL624A	HPE Networking CX8325-48Y8C 48p 25G SFP/+/28 8p 100G QSFP+/28 FB 6xFan 2xPSU Switch Bundle
S4B21A	HPE Networking CX8325H 18p SFP28 25G 4p QSFP28 100G Back-to-Front 4xFan 2xPSU Switch
S4B20A	HPE Networking CX8325H 18p SFP28 25G 4p QSFP28 100G Front-to-Back 4xFan 2xPSU Switch

Transceiver

455883-B21	HPE BladeSystem c-Class 10Gb SFP+ SR Transceiver

Zugehörige Services

Die folgenden Services sind für diese Serie verfügbar:

SKU	Beschreibung
Technische Services	
H5OZZPE	HPE 1 Year Post Warranty Tech Care Basic ProLiant MicroServer Gen11 Service
H51BCPE	HPE 1 Year Post Warranty Tech Care Basic wCDMR ProLiant MicroServer Gen11 Service
H51BBPE	HPE 1 Year Post Warranty Tech Care Basic wDMR ProLiant MicroServer Gen11 Service
H51BGPE	HPE 1 Year Post Warranty Tech Care Essential ProLiant MicroServer Gen11 Service
H51BJPE	HPE 1 Year Post Warranty Tech Care Essential wCDMR ProLiant MicroServer Gen11 Service
H51BHPE	HPE 1 Year Post Warranty Tech Care Essential wDMR ProLiant MicroServer Gen11 Service
H51BKPE	HPE 2 Year Post Warranty Tech Care Basic ProLiant MicroServer Gen11 Service
H51BLPE	HPE 2 Year Post Warranty Tech Care Basic wDMR ProLiant MicroServer Gen11 Service
H51BQPE	HPE 2 Year Post Warranty Tech Care Essential ProLiant MicroServer Gen11 Service
H51BRPE	HPE 2 Year Post Warranty Tech Care Essential wDMR ProLiant MicroServer Gen11 Service
H45BCE	HPE 3 Year Tech Care Basic DL20 Gen10/11 ML30 Gen10/11 Smart Choice Service
H45BFE	HPE 3 Year Tech Care Basic MicroServer Smart Choice Service
H44NME	HPE 3 Year Tech Care Basic ProLiant Microserver Gen11 HW Service
H42KVE	HPE 3 Year Tech Care Basic wCDMR ML30 Gen11 HW Service
H44NQE	HPE 3 Year Tech Care Basic wCDMR ProLiant Microserver Gen11 HW Service
H42KTE	HPE 3 Year Tech Care Basic wDMR ML30 Gen11 HW Service
H44NNE	HPE 3 Year Tech Care Basic wDMR ProLiant Microserver Gen11 HW Service
H57ZGE	HPE 3 Year Tech Care Basic wGDMR ProLiant MicroSvr Gen11 Service
H42LDE	HPE 3 Year Tech Care Critical for ML30 Gen11 HW Service
H42LGE	HPE 3 Year Tech Care Critical wCDMR ML30 Gen11 HW Service
H42LFE	HPE 3 Year Tech Care Critical wDMR ML30 Gen11 HW Service
H81TOE	HPE 3 Year Tech Care Essential DL20/ML30 Smart Choice Service
H81T4E	HPE 3 Year Tech Care Essential MicroServers Smart Choice Service
H44NTE	HPE 3 Year Tech Care Essential ProLiant Microserver Gen11 HW Service
H42LCE	HPE 3 Year Tech Care Essential wCDMR ML30 Gen11 HW Service
H44NWE	HPE 3 Year Tech Care Essential wCDMR ProLiant Microserver Gen11 HW Service

H42LBE	HPE 3 Year Tech Care Essential wDMR ML30 Gen11 HW Service
H44NVE	HPE 3 Year Tech Care Essential wDMR ProLiant Microserver Gen11 HW Service
H57ZHE	HPE 3 Year Tech Care Essential wGDMR ProLiant MicroSvr Gen11 Service
H42LHE	HPE 4 Year Tech Care Basic ML30 Gen11 HW Service
H44NXE	HPE 4 Year Tech Care Basic ProLiant Microserver Gen11 HW Service
H42LKE	HPE 4 Year Tech Care Basic wCDMR ML30 Gen11 HW Service
H44NZE	HPE 4 Year Tech Care Basic wCDMR ProLiant Microserver Gen11 HW Service
H42LJE	HPE 4 Year Tech Care Basic wDMR ML30 Gen11 HW Service
H44NYE	HPE 4 Year Tech Care Basic wDMR ProLiant Microserver Gen11 HW Service
H57ZJE	HPE 4 Year Tech Care Basic wGDMR ProLiant MicroSvr Gen11 Service
H42LTE	HPE 4 Year Tech Care Critical for ML30 Gen11 HW Service
H42LWE	HPE 4 Year Tech Care Critical wCDMR ML30 Gen11 HW Service
H42LVE	HPE 4 Year Tech Care Critical wDMR ML30 Gen11 HW Service
H42LQE	HPE 4 Year Tech Care Essential ML30 Gen11 HW Service
H44PDE	HPE 4 Year Tech Care Essential ProLiant Microserver Gen11 HW Service
H42LSE	HPE 4 Year Tech Care Essential wCDMR ML30 Gen11 HW Service
H44PGE	HPE 4 Year Tech Care Essential wCDMR ProLiant Microserver Gen11 HW Service
H42LRE	HPE 4 Year Tech Care Essential wDMR ML30 Gen11 HW Service
H44PFE	HPE 4 Year Tech Care Essential wDMR ProLiant Microserver Gen11 HW Service
H57ZKE	HPE 4 Year Tech Care Essential wGDMR ProLiant MicroSvr Gen11 Service
H45BDE	HPE 5 Year Tech Care Basic DL20 Gen10/11 ML30 Gen10/11 Smart Choice Service
H45BGE	HPE 5 Year Tech Care Basic MicroServer Smart Choice Service
H44PHE	HPE 5 Year Tech Care Basic ProLiant Microserver Gen11 HW Service
H42LZE	HPE 5 Year Tech Care Basic wCDMR ML30 Gen11 HW Service
H44PKE	HPE 5 Year Tech Care Basic wCDMR ProLiant Microserver Gen11 HW Service
H42LYE	HPE 5 Year Tech Care Basic wDMR ML30 Gen11 HW Service
H44PJE	HPE 5 Year Tech Care Basic wDMR ProLiant Microserver Gen11 HW Service
H57ZLE	HPE 5 Year Tech Care Basic wGDMR ProLiant MicroSvr Gen11 Service
H42MJE	HPE 5 Year Tech Care Critical for ML30 Gen11 HW Service
H42MLE	HPE 5 Year Tech Care Critical wCDMR ML30 Gen11 HW Service
H42MKE	HPE 5 Year Tech Care Critical wDMR ML30 Gen11 HW Service
H81T1E	HPE 5 Year Tech Care Essential DL20/ML30 Smart Choice Service
H81T5E	HPE 5 Year Tech Care Essential MicroServers Smart Choice Service
H44PNE	HPE 5 Year Tech Care Essential ProLiant Microserver Gen11 HW Service
H42MHE	HPE 5 Year Tech Care Essential wCDMR ML30 Gen11 HW Service
H44PRE	HPE 5 Year Tech Care Essential wCDMR ProLiant Microserver Gen11 HW Service

H42MGE	HPE 5 Year Tech Care Essential wDMR ML30 Gen11 HW Service
H44PQE	HPE 5 Year Tech Care Essential wDMR ProLiant Microserver Gen11 HW Service
H57ZME	HPE 5 Year Tech Care Essential wGDMR ProLiant MicroSvr Gen11 Service
H42MME	HPE 6 Year Tech Care Basic ML30 Gen11 Service
H42MNE	HPE 6 Year Tech Care Basic wDMR ML30 Gen11 Service
H42MSE	HPE 6 Year Tech Care Essential ML30 Gen11 Service
H42MTE	HPE 6 Year Tech Care Essential wDMR ML30 Gen11 Service
H42MVE	HPE 7 Year Tech Care Basic ML30 Gen11 Service
H42MWE	HPE 7 Year Tech Care Basic wDMR ML30 Gen11 Service
H42MZE	HPE 7 Year Tech Care Essential ML30 Gen11 Service
H42NBE	HPE 7 Year Tech Care Essential wDMR ML30 Gen11 Service
H33XSE	HPE Education - Learning Credits 1 Year Service
U4554E	HPE ProLiant DL/ML Install Service
U4555E	HPE Proliant DL/ML Ons Startup Service
H30JHE	HPE Proliant DL/ML Rmt NSH Startup Service
H30JGE	HPE Proliant DL/ML Rmt Startup Service

HPE Services

Egal, wo Sie sich auf Ihrem Weg zur Transformation befinden, können Sie darauf zählen, dass Ihnen HPE Services die erforderliche Fachkompetenz bietet, wann, wo und wie auch immer Sie sie benötigen. Von der Strategie und Planung über die Bereitstellung bis hin zum laufenden Betrieb und darüber hinaus können Ihnen unsere Experten dabei helfen, Ihre digitalen Ambitionen zu verwirklichen.

Advisory & Professional Services

Lassen Sie sich von Experten dabei unterstützen, Ihren Weg zur Hybrid Cloud zu planen und Ihren Betrieb zu optimieren.

Managed Services

HPE verwaltet Ihren IT-Betrieb und bietet Ihnen eine einheitliche Steuerung, damit Sie sich auf Innovationen konzentrieren können.

Support-Services

Optimieren Sie Ihre gesamte IT-Umgebung und treiben Sie Innovationen voran. Bewältigen Sie die täglichen IT-Betriebsaufgaben und setzen Sie wertvolle Zeit und Ressourcen frei.

— **HPE Complete Care Service:** ein modularer Service, mit dem wir Sie dabei unterstützen Ihre gesamte IT-Umgebung zu optimieren und vereinbarte IT-Ergebnisse und Unternehmensziele zu erreichen. Der gesamte Service wird durch speziell geschulte und zugewiesene HPE Experten bereitgestellt.

— **HPE Tech Care Service:** das operative Serviceerlebnis für HPE Produkte. Der Service bietet Ihnen Zugang zu produktspezifischen Experten, ein KI-gestütztes digitales Erlebnis und allgemeine technische Anleitungen als Hilfestellung, Risiken zu reduzieren und ständig nach Wegen zu suchen, die Dinge besser zu machen.

— **HPE Multivendor Services:** Zentrale Verantwortung für die Verwaltung des Hardware- und Software-Supports vor Ort für Produkte verschiedener Anbieter. Die HPE Experten helfen Ihnen, Ihre IT über Technologien und Plattformen von HPE und anderen Herstellern hinweg zu verwalten, und fungieren als zentrale Ansprechpartner für Ihre Anforderungen hinsichtlich des IT-Betriebs.

Lifecycle Services

Erfüllen Sie die spezifischen Projektanforderungen Ihrer IT-Bereitstellung mit maßgeschneiderten Projektmanagement- und Bereitstellungsservices.

HPE Education Services

Schulungen und Zertifizierungen für Fachkräfte im IT- und Geschäftsbereich in allen Branchen. Erstellen Sie Lernpfade, um Ihre Kenntnisse in einem bestimmten Fachgebiet zu erweitern. Planen Sie die Schulungen so, wie es für Ihr Unternehmen am besten ist, mit flexiblen Optionen für kontinuierliches Lernen.

Die **Einbehaltung defekter Datenträger** ist ein optionaler Service: Sie können Festplatten oder entsprechende SSD/Flash-Laufwerke behalten, die von HPE aufgrund einer Fehlfunktion ausgetauscht wurden.

GreenLake

GreenLake ist die Cloud zum Ausführen und Verwalten Ihrer gesamten Hybridlandschaft – Privat, Public und am Edge. Greenlake hilft Ihnen

— den IT-Betrieb in den Bereichen Computing, Datenspeicherung und Netzwerk zu optimieren, ohne dabei Chaos zu verursachen.

— Daten zu vereinheitlichen und zu sichern, während Sie voranschreiten.

— die KI vom Pilotprojekt zur Produktion zu beschleunigen.

Das Ergebnis: Höhere betriebliche Effizienz, geringere Gesamtbetriebskosten und schnellere KI-Bereitstellung – alles von einer einheitlichen, intelligenten Plattform, die für hybride Unternehmen von heute entwickelt wurde.

Weitere technische Informationen, verfügbare Modelle und Optionen finden Sie in den QuickSpecs

HPE.com besuchen

Jetzt chatten

© Copyright 2026 Hewlett Packard Enterprise Development LP. Die Informationen in diesem Dokument können ohne vorherige Ankündigung geändert werden. Die Garantien für Produkte und Services von Hewlett Packard Enterprise werden ausschließlich in der entsprechenden, zum Produkt oder Service gehörigen Garantieerklärung beschrieben. Die hier enthaltenen Informationen stellen keine zusätzliche Garantie dar. Hewlett Packard Enterprise haftet nicht für hierin enthaltene technische oder redaktionelle Fehler oder Auslassungen.

Teile und Materialien: HPE stellt von HPE unterstützte Ersatzteile und Materialien bereit, die für die vertraglich abgedeckte Hardware erforderlich sind.

Teile und Komponenten, die ihre maximal unterstützte Lebensdauer und/oder die maximale Nutzungsbeschränkung gemäß der Beschreibung im Betriebshandbuch des Herstellers, in den QuickSpecs für das Produkt oder im technischen Produktdatenblatt erreicht haben, werden im Rahmen dieser Service nicht bereitgestellt, repariert oder ausgetauscht.

Intel, Pentium und Xeon sind Marken der Intel Corporation oder ihrer Tochtergesellschaften in den USA und/oder anderen Ländern.; Alle genannten Marken von Dritten sind Eigentum der jeweiligen Rechteinhaber.

Bild kann vom tatsächlichen Produkt abweichen.

PSN1014826370DEDE, Oktober, 2026.

HEWLETT PACKARD ENTERPRISE

hpe.com